



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

M.S

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.
08/637,802	05/08/96	ECCLES A	C-35469

DVORAK AND TRAUB
53 WEST JACKSON BOULEVARD
CHICAGO IL 60604

IM62/1026

EXAMINER	
SHEEHAN, J	
ART UNIT	PAPER NUMBER
1742	

DATE MAILED:

10/26/00

Please find below a communication from the EXAMINER in charge of this application.

Commissioner of Patents

1. The appeal brief filed on August 22, 2000 is defective because the three copies of the brief required under 37 CFR 1.192(a) have not been submitted.

To avoid dismissal of the appeal, appellant must submit the necessary additional copies of the appeal brief within the longest of any of the following TIME PERIODS: (1) ONE MONTH or THIRTY DAYS, whichever is longer, from the mailing of this communication; (2) within the time period for reply to the action from which appeal has been taken; or, (3) within two months from the date of the notice of appeal under 37 CFR 1.191. Extensions of these time periods may be granted under 37 CFR 1.136.


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner John P. Sheehan, whose telephone number is (703)-308-3861. The examiner can normally be reached on Tuesday-Friday from 6:30 A.M.-5:00 P.M.

The fax phone number for this Technology Center is (703)-305-3599.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0651.

When filing a FAX in Technology Center, please indicate in the Header (upper right) "Official" for papers that are to be entered into the file, and "Unofficial" for draft documents and other communication with the PTO that are not for entry into the file of the application. This will expedite processing of your papers.

jps
October 25, 2000


John P. Sheehan
Primary Examiner
Art Unit 1742